

Package: sqlhelper (via r-universe)

August 26, 2024

Title Easier 'SQL' Integration

Version 0.2.1

Description Execute files of 'SQL' and manage database connections. 'SQL' statements and queries may be interpolated with string literals. Execution of individual statements and queries may be controlled with keywords. Multiple connections may be defined with 'YAML' and accessed by name.

Depends R (>= 4.1.0)

Imports DBI, yaml, rappdirs, stringr, glue, pool, methods, tibble, tidyr, purrr (>= 1.0.0), sf, rlang

License GPL (>= 3)

Encoding UTF-8

LazyData true

RoxygenNote 7.2.1

Roxygen list(markdown = TRUE)

Suggests dplyr, rmarkdown, knitr, testthat (>= 3.0.0), odbc, RSQLite, RPostgres, RMariaDB, bigrquery, spData

Config/testthat/edition 3

VignetteBuilder knitr

URL <https://majerr.github.io/sqlhelper/dev/>,
<https://github.com/majerr/sqlhelper/>

BugReports <https://github.com/majerr/sqlhelper/issues>

Repository <https://majerr.r-universe.dev>

RemoteUrl <https://github.com/majerr/sqlhelper>

RemoteRef HEAD

RemoteSha 1b49d2f454ca7b85d8fabdff87d6432cdf8d0e2e

Contents

config_examples	2
connect	3
connection_info	4
default_conn	5
disconnect	6
is_connected	6
live_connection	7
prepare_sql	8
read_sql	9
run_files	11
run_queries	13
set_default_conn_name	15
Index	17

config_examples	<i>Examples of yaml configurations for database connections</i>
-----------------	---

Description

Provides example configurations for several databases and a range of options

Usage

```
config_examples(filename = NA)
```

Arguments

filename A string. If supplied, examples are written to a file with this name.

Details

Irrespective of whether a filename is supplied, yaml configuration examples will be returned invisibly as a single string and printed if the session is interactive.

Value

A yaml string of database configuration examples, invisibly.

Examples

```
config_examples()

# write the examples to a temporary file called 'examples.yaml'
config_examples(file.path(tempdir(), "examples.yaml"))
```

connect	<i>(Re-)Establish connections to databases</i>
---------	--

Description

Closes any open connections, reads config files as directed by `config_filename` and `exclusive`, and creates new connections from the descriptions in those files.

Usage

```
connect(config_filename = NA, exclusive = FALSE)
```

Arguments

<code>config_filename</code>	String. The full name and path of a configuration file, or "site", or "user", or "example", or NA (the default). Cannot be NA if <code>exclusive = TRUE</code> .
<code>exclusive</code>	Logical. If TRUE, the file named by <code>config_filename</code> is treated as the only config file. Site and user level files are not read. This parameter is ignored if <code>config_filename</code> is missing.

Details

If `exclusive=FALSE` (the default), configuration files will be sought in the directory returned by `rappdirs::site_config_dir()`, the directory returned by `rappdirs::user_config_dir()`, and finally a file named by `config_filename` (if not NA). If elements of those files conflict, later files overwrite the elements of earlier files.

If `exclusive=TRUE`, only 1 file, indicated by the `config_filename` parameter, will be read.

- If `config_filename = "site"`, a config file called `sqlhelper_db_conf.yml` will be sought in the directory returned by `rappdirs::site_config_dir()`
- If `config_filename = "user"`, a config file called `sqlhelper_db_conf.yml` will be sought in the directory returned by `rappdirs::user_config_dir()`
- If `config_filename` is not NULL (but not "site" or "user"), it is assumed to name a file.

A warning is raised if no valid configurations are found (e.g. `connect()` is called without arguments and no site- or user-wide files are present, or the connections in those files are invalid)

`vignette("connections")` explains how to write a config file and how to access the created connections.

Value

NULL, invisibly

Examples

```
library(sqlhelper)

example_filename <- system.file("examples",
                                "sqlhelper_db_conf.yml",
                                package = "sqlhelper")

# Search for config files in rappdirs::site_config_dir(),
# rappdirs::user_config_dir(), and read from example_filename
connect(example_filename)

# Read only the named example file
connect(example_filename, exclusive=TRUE)
```

connection_info *Browse available connections*

Description

Provides information about created connections.

Usage

```
connection_info(name_str = ".*", exact = TRUE)
```

Arguments

name_str	A regular expression to be used to identify connection names to include. The default ('.*') returns all of them.
exact	TRUE or FALSE. Should name_str match the name of a connection exactly? TRUE will identify only 1 connection if name_str does not contain any metacharacters

Value

Null, or a tibble with 1 row per identified connection and the following fields:

name identifier (character)
description a description of the connection, if found in the conf file (character)
live is this connection valid and live? (logical)
driver the name of the driver function (character)
conn_str the string used to parameterize the connection (character)
pool is this a pool connection? (logical)

If no connection names matched name_str, the tibble will be empty. If no connections have been configured (e.g. connect() has not been called), NULL is returned.

Examples

```
library(sqlhelper)

connect(
  system.file(
    "examples/sqlhelper_db_conf.yml",
    package="sqlhelper"
  ),
  exclusive=TRUE
)

connection_info()

connection_info("pool_sqlite")
```

default_conn	<i>Return the default connection</i>
--------------	--------------------------------------

Description

A convenience wrapper around `live_connection()` and `get_default_conn_name()`

Usage

```
default_conn()
```

Value

A database connection returned by `DBI::dbConnect()` or `pool::dbPool()`

Examples

```
library(sqlhelper)

connect(
  system.file(
    "examples/sqlhelper_db_conf.yml",
    package="sqlhelper"
  ),
  exclusive=TRUE
)

default_conn()
```

disconnect	<i>Close all connections and remove them from the connections cache</i>
------------	---

Description

Close all connections and remove them from the connections cache

Usage

```
disconnect()
```

Value

NULL, invisibly

Examples

```
library(sqlhelper)
connect(
  system.file("examples",
              "sqlhelper_db_conf.yml",
              package="sqlhelper")
)
disconnect()
```

is_connected	<i>Test whether a database is connected</i>
--------------	---

Description

Test whether a database is connected

Usage

```
is_connected(conn_name)
not_connected(conn_name)
```

Arguments

conn_name Character. The name of a connection (run [connection_info\(\)](#) for options)

Value

Logical, or NULL if conn_name does not identify exactly 1 connection

Examples

```
library(sqlhelper)

connect(
  system.file("examples/sqlhelper_db_conf.yml",
             package="sqlhelper")
)
connection_info()

is_connected("simple_sqlite")
is_connected("foo")
DBI::dbDisconnect(live_connection("simple_sqlite"))
is_connected("simple_sqlite")
not_connected("simple_sqlite")
disconnect()
is_connected("simple_sqlite")
not_connected("simple_sqlite")
```

live_connection	<i>Return the named connection or NULL</i>
-----------------	--

Description

Return the named connection or NULL

Usage

```
live_connection(conn_name)
```

Arguments

conn_name	Chr. The name of the live connection you want (use connection_info to get names of available connections).
-----------	--

Value

A live connection to a database, or NULL, invisibly, if conn_name is not the name of a live connection

Examples

```
library(sqlhelper)
connect(
  system.file("examples/sqlhelper_db_conf.yml",
             package="sqlhelper")
)
connection_info()

conn <- live_connection("simple_sqlite")
```

```

conn

DBI::dbDisconnect(conn)
is.null(live_connection("simple_sqlite"))
is.null(live_connection("foo"))

```

```
prepare_sql
```

prepare queries and assemble meta data prior to execution

Description

Except for `sql`, parameters are default values to be used when none are supplied in `sql` (i.e. when `sql` is a tibble returned by `read_sql()`).

Usage

```

prepare_sql(
  sql,
  quotesql = "yes",
  values = parent.frame(),
  execmethod = "get",
  geometry = NA,
  default.conn = default_conn()
)

```

Arguments

<code>sql</code>	An optionally-named list or character vector containing <code>sql</code> commands, or a tibble returned by <code>read_sql()</code>
<code>quotesql</code>	"yes" or "no" - should interpolated characters be quoted by default? Anything that isn't "no" is treated as "yes".
<code>values</code>	An environment containing variables to interpolate into the SQL. Pass any object that is not an environment (commonly-used options include "no", NA, FALSE or NULL) if interpolation is to be skipped, or another environment containing values to interpolate to avoid using <code>.GlobalEnv</code> .
<code>execmethod</code>	One of "get", "execute", "sendq", "sends" or "spatial" - which method should be used to execute the query? "get" means <code>DBI::dbGetQuery()</code> ; "execute" means <code>DBI::dbExecute()</code> ; "sendq" means <code>DBI::dbSendQuery</code> ; "sends" means <code>DBI::dbSendStatement()</code> ; "spatial" means <code>sf::st_read()</code> .
<code>geometry</code>	If <code>execmethod</code> is "spatial", which column contains the geometry? Ignored if <code>execmethod</code> is not "spatial".
<code>default.conn</code>	Either the name of a sqlhelper connection, or a database connection returned by <code>DBI::dbConnect()</code> or <code>pool::pool()</code> , or NA. This connection is only used by <code>glue::glue_sql()</code> to quote SQL interpolations; <code>prepare_sql()</code> does not execute any SQL code.

Details

The default `.conn` parameter may be used to supply a connection object that is not a configured sqlhelper connection which can then be used to interpolate quoted strings.

Value

A tibble containing 1 row per query with the following fields:

qname character. A name for this query

quotesql "yes" or "no". Should parameterized character values be quoted for this query?

interpolate "yes" or "no". Should this query be parameterized with values from R?

execmethod The method to execute this query. One of "get" (`DBI::dbGetQuery()`), "execute" (`DBI::dbExecute()`), "sendq" (`DBI::dbSendQuery()`), "sends" (`DBI::dbSendStatement()`) or "spatial" (`sf::st_read()`)

geometry character. If `execmethod` is "spatial", which is the geometry column?

conn_name character. The name of the database connection to use for this query. Must be the name of a configured sqlhelper connection.

sql The sql query as entered

filename The value of `file_name`

prepared_sql The sql query to be executed, i.e. with interpolations and quoting in place

Examples

```
library(sqlhelper)
connect(
  system.file("examples/sqlhelper_db_conf.yml",
             package="sqlhelper"),
  exclusive = TRUE
)

n <- 5
foo <- 'bar'
prepped <- prepare_sql(c("select {`foo`}", "select {n}"))
prepped
prepped$prepared_sql
```

read_sql

Read a sql file and return it's contents as a tibble

Description

Read a sql file and return it's contents as a tibble

Usage

```
read_sql(file_name, cascade = TRUE)
```

Arguments

<code>file_name</code>	Full name and path of a file to read
<code>cascade</code>	Parameters for executing each query may be specified as comments in the SQL file. If <code>cascade=TRUE</code> , execution parameters specified in the file will be cascaded to subsequent queries where that parameter is not specified. This enables you to set a parameter (e.g. the connection name) once, for the first query in a file, and use it for all the subsequent queries.

Details

Multiple SQL queries in files should be terminated by semi-colons (;), as usual.

The values of `qname`, `quotesql`, `interpolate`, `execmethod`, `geometry`, and `conn_name` in the output may be specified with comments immediately preceding each query (see examples).

With the exception of `qname`, the value of each interpreted comment is cascaded to subsequent queries (assuming `cascade=TRUE`). This means you may set values once for the first query in the file and they will apply to all the queries thereafter.

See `run_queries()` for the implications of setting execution parameters. See `prepare_sql()` for the treatment of missing values in the output and their defaults. The article `vignette("execution")` has further examples of using these parameters to control execution.

Value

A tibble containing 1 row per query with the following fields:

qname character. A name for this query

quotesql "yes" or "no". Should parameterized character values be quoted for this query?

interpolate "yes" or "no". Should this query be parameterized with values from R?

execmethod The method to execute this query. One of "get" (`DBI::dbGetQuery()`), "execute" (`DBI::dbExecute()`), "sendq" (`DBI::dbSendQuery()`), "sends" (`DBI::dbSendStatement()`) or "spatial" (`sf::st_read()`)

geometry character. If `execmethod` is "spatial", which is the geometry column?

conn_name character. The name of the database connection to use for this query. Must be the name of a configured sqlhelper connection.

sql The sql query to be executed

filename The value of `file_name`

Examples

```
library(sqlhelper)

fn <- system.file( "examples/read_sql_execution_params.SQL",
                  package="sqlhelper" )
readLines( fn ) |> writelines()

sql_tibble <- read_sql(fn)
sql_tibble
```

```

sql_tibble$sql

fn <- system.file( "examples/read_sql_comments.SQL", package="sqlhelper" )
readLines( fn ) |> writelines()

sql_tibble <- read_sql(fn)
sql_tibble
sql_tibble$sql

```

run_files

Read, prepare and execute .SQL files

Description

Accepts a character vector of SQL file names and attempts to execute the queries in each one.

Usage

```
run_files(filenamees, ..., include_params = FALSE)
```

```
runfiles(filenamees, ..., include_params = FALSE)
```

Arguments

filenamees name, or vector of names, of file(s) to be executed
... Arguments to be passed to [run_queries\(\)](#), [prepare_sql\(\)](#), or [read_sql\(\)](#)
include_params TRUE or FALSE. Should the parameters be included in the output?

Details

If no default connection is supplied via `default.conn` and no connections have been configured using `connect()`, an attempt will be made to configure connections via `connect()` using the configuration search path. If no database connections are available after this attempt, an error will be raised. See `vignette("connections")` for details about the configuration search path.

`run_files()` calls `read_sql()` on each file, and `prepare_sql()` on the queries read from those files. Prepared queries are executed with `run_queries()`. The behaviour of those functions can be controlled by passing the relevant parameters to `run_files()` as the `...` argument.

`run_files()` also enables control of the arguments accepted by `run_queries()` on a per-query basis, by interpreting comments in SQL files as described for `read_sql()`. Interpreted comments precede the sql query to which they refer. Each interpretable comment must be on a line by itself and take the form:

```
-- keyword = value
```

Keywords and possible values for interpretable comments are:

qname A name for this query

quotesql "yes" or "no" - should interpolated characters be quoted?

interpolate "yes" or "no" - should sql be interpolated?

execmethod One of "get", "execute", "sendq", "sends" or "spatial" - which method should be used to execute the query? "get" means `DBI::dbGetQuery()`; "execute" means `DBI::dbExecute()`; "sendq" means `DBI::dbSendQuery`; "sends" means `DBI::dbSendStatement()`; "spatial" means `sf::st_read()`.

geometry The name of a spatial column. Ignored if `execmethod` is not 'spatial'

conn_name The name of a connection to execute this query against

All interpreted comments except `qname` are cascaded *within their file*, meaning that if you want to use the same values throughout, you need only set them for the first query. See `read_sql()` for details.

Value

A list of results of sql queries found in files

See Also

[read_sql\(\)](#), [prepare_sql\(\)](#)

Other SQL runners: [run_queries\(\)](#)

Examples

```
library(sqlhelper)

config_filename <- system.file("examples/sqlhelper_db_conf.yml",
                               package="sqlhelper")

readLines( config_filename ) |> writeLines()

connect(
  config_filename,
  exclusive=TRUE)

DBI::dbWriteTable( default_conn(), "iris", iris)

sf::st_write(spData::congruent, default_conn(), "congruent")
sf::st_write(spData::incongruent, live_connection("pool_sqlite"), "incongruent")

run_files_ex1 <- system.file("examples/run_files_ex1.sql", package="sqlhelper")
readLines( run_files_ex1 ) |> writeLines()

run_files_ex2 <- system.file("examples/run_files_ex2.sql", package="sqlhelper")
readLines( run_files_ex2 ) |> writeLines()

n_longest_petals <- 5
results <- run_files( c( run_files_ex1, run_files_ex2 ) )
```

```

names(results)

results$how_many_irises

results$n_longest_setosa_petal_lengths

plot(results$get_congruent, border = "orange")
plot(results$get_incongruent, border = "blue", add=TRUE)

```

run_queries	<i>Execute a sequence of SQL queries</i>
-------------	--

Description

Accepts a character vector of SQL queries and attempts to execute each

Usage

```
run_queries(sql, ..., default.conn = default_conn(), include_params = FALSE)
```

```
runqueries(sql, ..., default.conn = default_conn(), include_params = FALSE)
```

Arguments

sql	An optionally-named list or character vector containing sql strings, or a tibble returned by read_sql() or prepare_sql() .
...	Arguments to be passed to read_sql() or prepare_sql()
default.conn	Either the name of a sqlhelper connection, or a database connection returned by DBI::dbConnect() or pool::dbPool() . This connection is used as a fall-back when the sql parameter is a tibble and no per-query connection name is supplied, or the connection name is default (see prepare_sql()). It may be used by glue::glue_sql() to interpolate SQL strings, and as the connection against which to execute SQL queries.
include_params	TRUE or FALSE. Should the parameters be included in the output? Mainly useful for debugging.

Details

If no default connection is supplied via `default.conn` and no connections have been configured using `connect()`, an attempt will be made to configure connections via `connect()` using the configuration search path. If no database connections are available after this attempt, an error will be raised. See `vignette("connections")` for details about the configuration search path.

Value

- If `include_params` is `FALSE` and the `sql` argument is a vector, a list containing the results of each query; element names will be taken from the `sql` argument.
- If the length of the `sql` argument is 1 and is not named, the result of that query is returned as-is (e.g. a `data.frame`), not as a 1-element list.
- If `include_params` is `TRUE`, a tibble is returned containing 1 row per query with the following fields:

qname character. A name for this query

quotesql "yes" or "no". Should parameterized character values be quoted for this query?

interpolate "yes" or "no". Should this query be parameterized with values from R?

execmethod The method to execute this query. One of "get" (`DBI::dbGetQuery()`), "execute" (`DBI::dbExecute()`), "sendq" (`DBI::dbSendQuery()`), "sends" (`DBI::dbSendStatement()`) or "spatial" (`sf::st_read()`)

geometry character. If `execmethod` is "spatial", this should be the name of the geometry column.

conn_name character. The name of the database connection against which to execute this query. Must be the name of a configured `sqlhelper` connection.

sql The sql query to be executed

filename The value of `file_name`

prepared_sql The sql query to be executed, i.e. with interpolations and quoting in place

result The result of the query

See Also

`read_sql()`, `prepare_sql()`

Other SQL runners: `run_files()`

Examples

```
library(sqlhelper)

readLines(
  system.file("examples/sqlhelper_db_conf.yml",
             package="sqlhelper")
) |>
writeLines()

connect(
  system.file("examples/sqlhelper_db_conf.yml", package="sqlhelper"),
  exclusive=TRUE)

DBI::dbWriteTable( default_conn(),
                   "iris",
                   iris)

n <- 5
```

```

run_queries(
  c(top_n = "select * from iris limit {n}",
    uniqs = "select distinct species as species from iris")
)

## use include_params to review the execution context
run_queries(
  c(top_n = "select * from iris limit {n}",
    uniqs = "select distinct species as species from iris"),
  include_params = TRUE
)

## pass an env of interpolation values to the 'values' parameter
## result of a single, unnamed query is returned as an object, not a
## 1-element list
e <- new.env()
e$n <- 2
run_queries(
  "select * from iris limit {n}",
  values = e
)

## Use the execmethod parameter for statements
run_queries("create table iris_setosa as select * from iris where species = 'setosa'",
  execmethod = 'execute')

run_queries("select distinct species as species from iris_setosa")

```

set_default_conn_name *Set/get the name of the default connection to use*

Description

Set/get the name of the default connection to use

Usage

```
set_default_conn_name(conn_name)
```

```
get_default_conn_name()
```

Arguments

conn_name Character string. The name a connection

Value

get returns the name of the default connection; set returns NULL, invisibly.

Examples

```
library(sqlhelper)
connect(
  system.file("examples/sqlhelper_db_conf.yml",
             package="sqlhelper"),
  exclusive = TRUE
)

connection_info()

get_default_conn_name()

set_default_conn_name("pool_sqlite")

connection_info()

get_default_conn_name()
```


Index

* SQL runners

- run_files, 11
- run_queries, 13

- config_examples, 2
- connect, 3
- connection_info, 4, 7
- connection_info(), 6

- DBI::dbConnect(), 8, 13
- DBI::dbExecute(), 8–10, 12, 14
- DBI::dbGetQuery(), 8–10, 12, 14
- DBI::dbSendQuery, 8
- DBI::dbSendQuery(), 9, 10, 14
- DBI::dbSendStatement(), 8–10, 12, 14
- default_conn, 5
- disconnect, 6

- get_default_conn_name
 (set_default_conn_name), 15
- glue::glue_sql(), 8, 13

- is_connected, 6

- live_connection, 7

- not_connected (is_connected), 6

- pool::dbPool(), 13
- pool::pool(), 8
- prepare_sql, 8
- prepare_sql(), 8, 10–14

- rappdirs::site_config_dir(), 3
- rappdirs::user_config_dir(), 3
- read_sql, 9
- read_sql(), 8, 11–14
- run_files, 11, 14
- run_files(), 11
- run_queries, 12, 13
- run_queries(), 10, 11

- runfiles (run_files), 11
- runqueries (run_queries), 13

- set_default_conn_name, 15
- sf::st_read(), 8–10, 12, 14